

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 13 Oct 2020

Print date: 30 Mar 2021

Version: 1

Page 1/12



SFC Stainless Finishing Cleaner

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

SFC Stainless Finishing Cleaner

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

metal surface treatment - cleaning
acidic cleaner for stainless steel surfaces

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Reuter GmbH & Co. KG

Schimmelbuschstr. 9e

40699 Erkrath

Germany

Telephone: +49 (0) 211 730 60 430

Telefax: +49 (0) 211 730 60 477

E-mail: mail@oreuter.de

Website: www.oreuter.de

E-mail (competent person): mail@oreuter.de

1.4. Emergency telephone number

24h: +49 (0) 171 5450 200

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals (<i>Met. Corr. 1</i>)	H290: May be corrosive to metals.	On basis of test data.
Skin corrosion/irritation (<i>Skin Corr. 1</i>)	H314: Causes severe skin burns and eye damage.	Calculation method.
Respiratory or skin sensitisation (<i>Skin Sens. 1</i>)	H317: May cause an allergic skin reaction.	Calculation method.
Serious eye damage/eye irritation (<i>Eye Dam. 1</i>)	H318: Causes serious eye damage.	Calculation method.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS05
Corrosion

Signal word: Danger

Hazard components for labelling:

phosphoric acid; sodium 3-nitrobenzenesulphonate

Hazard statements for physical hazards

H290 May be corrosive to metals.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 13 Oct 2020

Print date: 30 Mar 2021

Version: 1

Page 2/12



SFC Stainless Finishing Cleaner

hazard statements for health hazards

H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.

Supplemental hazard information

EUH208	Contains sodium 3-nitrobenzenesulphonate. May produce an allergic reaction.
--------	---

Precautionary statements Prevention

P260	Do not breathe vapours and spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements Response

P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/....
P363	Wash contaminated clothing before reuse.

Precautionary statements Disposal

P501	Dispose of contents/container to
------	---------------------------------------

2.3. Other hazards

Adverse environmental effects:

Does not contain any PBT or vPvB substances.

Other adverse effects:

Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 7664-38-2 EC No.: 231-633-2 Index No.: 015-011-00-6 CLP Reference No.: 02-2119752438-31-XXXX REACH No.: 01-2119485924-24-XXXX	phosphoric acid Skin Corr. 1B Danger H314	10 - < 25 weight-%
CAS No.: 127-68-4 EC No.: 204-857-3 REACH No.: 01-2119965131-44-XXXX	sodium 3-nitrobenzenesulphonate Eye Irrit. 2, Skin Sens. 1 Warning H317-H319	1 - < 10 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

Remove victim out of the danger area. Remove contaminated, saturated clothing.

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 13 Oct 2020

Print date: 30 Mar 2021

Version: 1

Page 3/12



SFC Stainless Finishing Cleaner

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion:

Call a physician immediately.
Do NOT induce vomiting. Rinse out mouth and give plenty of water to drink.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions.
Causes burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Forward this sheet to the doctor.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings. The product itself does not burn.

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Fire residues and contaminated firefighting water must be disposed in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Special danger of slipping by leaking/spilling product.
Remove persons to safety.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

Emergency procedures:

Provide adequate ventilation.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 13 Oct 2020

Print date: 30 Mar 2021

Version: 1

Page 4/12



SFC Stainless Finishing Cleaner

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8). Ensure adequate ventilation on workstation.

Fire prevent measures:

No special measures are necessary.

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin. Wash hands before breaks and after work. Use barrier skin cream.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels:

Keep/Store only in original container. Provide acid-resistant floor.

Hints on storage assembly:

Do not store with alkalies.

Storage class: 8B - Non-combustible corrosive substances

7.3. Specific end use(s)

Recommendation:

See subsection 1.2, use of the substance/mixture.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
TRGS 900 (DE)	phosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2	① 2 mg/m ³ ② 4 mg/m ³ ⑤ (einatembare Fraktion)
IOELV (EU)	phosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2	① 1 mg/m ³ ② 2 mg/m ³

8.1.2. Biological limit values

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 13 Oct 2020

Print date: 30 Mar 2021

Version: 1

Page 5/12



SFC Stainless Finishing Cleaner

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
phosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2	10.7 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
phosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2	1 mg/m ³	① DNEL worker ② Long-term - inhalation, local effects
phosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2	2 mg/m ³	① DNEL worker ② Acute - inhalation, local effects
sodium 3-nitrobenzenesulphonate CAS No.: 127-68-4 EC No.: 204-857-3	5 mg/m ³	① DNEL worker ② Long-term - inhalation, systemic effects
sodium 3-nitrobenzenesulphonate CAS No.: 127-68-4 EC No.: 204-857-3	97.6 mg/kg	① DNEL worker ② Long-term - dermal, systemic effects

Substance name	PNEC Value	① PNEC type
sodium 3-nitrobenzenesulphonate CAS No.: 127-68-4 EC No.: 204-857-3	0.5 mg/l	① PNEC aquatic, freshwater
sodium 3-nitrobenzenesulphonate CAS No.: 127-68-4 EC No.: 204-857-3	0.05 mg/l	① PNEC aquatic, marine water
sodium 3-nitrobenzenesulphonate CAS No.: 127-68-4 EC No.: 204-857-3	10,000 mg/l	① PNEC sewage treatment plant
sodium 3-nitrobenzenesulphonate CAS No.: 127-68-4 EC No.: 204-857-3	2.58 mg/kg	① PNEC sediment, freshwater
sodium 3-nitrobenzenesulphonate CAS No.: 127-68-4 EC No.: 204-857-3	0.258 mg/kg	① PNEC sediment, marine water
sodium 3-nitrobenzenesulphonate CAS No.: 127-68-4 EC No.: 204-857-3	0.222 mg/kg	① PNEC soil

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment



Eye/face protection:

Eye glasses with side protection DIN EN 166

Skin protection:

Hand protection: Tested protective gloves must be worn (EN ISO 374).

Suitable material: 0,7 mm Butyl caoutchouc (butyl rubber) Breakthrough time: >480 min

The details concerned are recommendations. Please contact the glove supplier for further information.

Body protection: Acid-resistant protective clothing.

Respiratory protection:

Respiratory protection mask in the event of high concentrations.

Short term: filter apparatus, combination filter E-P2. (DIN EN 14387)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 13 Oct 2020

Print date: 30 Mar 2021

Version: 1

Page 6/12



SFC Stainless Finishing Cleaner

Other protection measures:

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.

8.2.3. Environmental exposure controls

No data available

8.3. Additional information

Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Odour: odourless

Colour: orange

Odour threshold: not determined

Safety relevant basis data

parameter		at °C	Method	Remark
pH	1.6 - 1.8	20 °C		10 g/l
Melting point	<i>not determined</i>			
Freezing point	<i>not determined</i>			
Initial boiling point and boiling range	<i>not determined</i>			
Decomposition temperature	<i>not determined</i>			
Flash point	<i>not applicable</i>			
Evaporation rate	<i>not determined</i>			
Auto-ignition temperature	<i>not applicable</i>			
Upper/lower flammability or explosive limits	<i>not applicable</i>			
Vapour pressure	<i>not determined</i>			
Vapour density	<i>not determined</i>			
Density	1.16 - 1.18 g/cm ³	20 °C		
Bulk density	<i>not applicable</i>			
Water solubility	completely miscible			
Partition coefficient: n-octanol/water	<i>not determined</i>			
Dynamic viscosity	10 - 15 mPa*s	20 °C		
Kinematic viscosity	<i>not determined</i>			

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

None known when used in accordance with instructions.

10.2. Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3. Possibility of hazardous reactions

Avoid contact with strong alkalies (strong exothermic reactions).

10.4. Conditions to avoid

Strong heating.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 13 Oct 2020

Print date: 30 Mar 2021

Version: 1

Page 7/12



SFC Stainless Finishing Cleaner

10.5. Incompatible materials

May be corrosive to metals.

Do not use acid sensitive materials.

10.6. Hazardous decomposition products

No decomposition for intended use.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Substance name	Toxicological information
phosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2	LD₅₀ dermal: 2,740 mg/kg (Rabbit) LC₅₀ Acute inhalation toxicity (vapour): >3.8 mg/l 1 h (Rat) OECD 403 LD₅₀ oral: 1,530 mg/kg (Rat)
sodium 3-nitrobenzenesulphonate CAS No.: 127-68-4 EC No.: 204-857-3	LD₅₀ oral: >5,000 mg/kg (Rat) BASF-Test LD₅₀ dermal: >2,000 mg/kg (Rat) LC₅₀ Acute inhalation toxicity (dust/mist): >5 mg/l 4 h (Rat)

Skin corrosion/irritation:

Causes severe burns.

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

Contains sodium 3-nitrobenzenesulphonate. May produce an allergic reaction.

Germ cell mutagenicity:

Does not contain a relevant substance that meets the classification criteria.

Carcinogenicity:

Does not contain a relevant substance that meets the classification criteria.

Reproductive toxicity:

Does not contain a relevant substance that meets the classification criteria.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

SECTION 12: Ecological information

12.1. Toxicity

Substance name	Toxicological information
phosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2	LC₅₀: 138 mg/l 4 d (fish, <i>Gambusia affinis</i> (Mosquito fish)) EC₅₀: 270 mg/l (Activated sludge)
sodium 3-nitrobenzenesulphonate CAS No.: 127-68-4 EC No.: 204-857-3	LC₅₀: 8,660 mg/l 2 d (crustaceans)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 13 Oct 2020

Print date: 30 Mar 2021

Version: 1

Page 8/12



SFC Stainless Finishing Cleaner

Effects in sewage plants:

The product does not contain AOX components.
Does not contain any organic complexing agent.

12.2. Persistence and degradability

Substance name	Biodegradation	Remark
phosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2	not applicable	Not applicable for inorganic substances.
sodium 3-nitrobenzenesulphonate CAS No.: 127-68-4 EC No.: 204-857-3	Yes, rapidly	

Biodegradation:

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Substance name	Log K _{OW}	Bioconcentration factor (BCF)
phosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2	-2.1	
sodium 3-nitrobenzenesulphonate CAS No.: 127-68-4 EC No.: 204-857-3	-2.61	

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Substance name	Results of PBT and vPvB assessment
phosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.
sodium 3-nitrobenzenesulphonate CAS No.: 127-68-4 EC No.: 204-857-3	The substance in the mixture does not meet the PBT/vPvB criteria according to REACH, annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

Ecological data of complete product are not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product:

11 01 05 *	pickling acids
------------	----------------

*: Evidence for disposal must be provided.

Remark:

The waste code mentioned is a recommendation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 13 Oct 2020

Print date: 30 Mar 2021

Version: 1

Page 9/12



SFC Stainless Finishing Cleaner

Waste code packaging:

15 01 10 *	packaging containing residues of or contaminated by dangerous substances
15 01 02	Plastic packaging

*: Evidence for disposal must be provided.

Remark:

The waste code mentioned is a recommendation.

Waste treatment options





Appropriate disposal / Product:

Hazardous waste according to Directive 2008/98/EC (waste framework directive). Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Uncontaminated packaging may be taken for recycling.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN-No.			
UN 1805	UN 1805	UN 1805	UN 1805
14.2. UN proper shipping name			
PHOSPHORIC ACID, SOLUTION	PHOSPHORIC ACID, SOLUTION	PHOSPHORIC ACID, SOLUTION	PHOSPHORIC ACID, SOLUTION
14.3. Transport hazard class(es)			
 8	 8	 8	 8
14.4. Packing group			
III	III	III	III
14.5. Environmental hazards			
No	No	No	No
14.6. Special precautions for user			
Limited quantity (LQ): 5 L Excepted Quantities (EQ): E1 Hazard identification number (Kemler No.): 80 Classification code: C1 tunnel restriction code: (E) Remark:	Limited quantity (LQ): 5 L Excepted Quantities (EQ): E1 Classification code: C1 Remark:	Limited quantity (LQ): 5 L Excepted Quantities (EQ): E1 EmS-No.: F-A, S-B Remark:	Limited quantity (LQ): Y841 Excepted Quantities (EQ): E1 Remark:

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No transport as bulk according to IBC Code.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 13 Oct 2020

Print date: 30 Mar 2021

Version: 1

Page 10/12



SFC Stainless Finishing Cleaner

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work

Directive 2011/65/EU (RoHS 2)

Council Directive 91/689/EEC of 12 December 1991 on hazardous waste

Regulation (EG) No. 1272/2008 (CLP)

Regulation (EG) No. 1907/2006 (REACH)

15.1.2. National regulations

[DE] National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Annex Chemikalien-Verbotsverordnung (ChemVerbotsV)

Chemicals Prohibition Ordinance (ChemVerbotsV) - Contains none of the listed substances.

ChemVerbotsV should be observed.

Störfallverordnung

for substances contained in the product:

This product is not assigned to a hazard category.

Technische Anleitung Luft (TA-Luft)

Klasse 1:

IV

Ziffer 1:

5.2.4. inorganic gaseous substances

Water hazard class

WGK:

1 - schwach wassergefährdend

Source:

Self-classification (mixture; calculation rule).

Technische Regeln für Gefahrstoffe

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

TRGS 510: Storage of hazardous substances in transportable containers.

TRGS 401: Risk due to skin contact. - Determination, evaluation and measures.

Berufsgenossenschaftliche Vorschriften (DGUV-Vorschriften)

BG RCI leaflet A010: operating instructions for handling hazardous substances. BG RCI leaflet M 004:

Irritant substances/Corrosive substances. BG RCI Merkblatt M 053: General workplace safety measures for the handling of hazardous substances.

Other regulations, restrictions and prohibition regulations

Volatile organic compounds (VOC) content in percent by weight: 0%

German regulations storage class (TRGS 510): LGK 8 B: Non-combustible corrosive hazardous substances.

German Water Resources Act (WHG)

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 13 Oct 2020

Print date: 30 Mar 2021

Version: 1

Page 11/12



SFC Stainless Finishing Cleaner

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

ABEK-NO-CO: Kombinationsfilter Kennbuchstaben

ADN: Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure / Europäisches Übereinkommen über die internationale Beförderung gefährlicher Güter auf Binnenwasserstraßen

ADR/RID: Accord européen relatif au transport international des marchandises Dangereuses par Route/Règlement concernant le transport international ferroviaire de marchandises Dangereuses / Transportvorschriften für Straßen- (ADR) und Schienenbeförderung (RID) gefährlicher Güter

AVV: Abfallverzeichnis-Verordnung

AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen

BG RCI: Berufsgenossenschaft Rohstoffe und chemische Industrie

BLV (EU): Biological Limit Values / Biologische Grenzwerte

CAS: Chemical Abstracts Service

CLP: Einstufung, Kennzeichnung und Verpackung

DFG: Deutsche Forschungsgemeinschaft

DIN EN ISO: Deutsches Institut für Normung / Europäische Norm / International Organization for Standardization

DNEL: Derived No-Effect Level / abgeleitete Expositionshöhe ohne Beeinträchtigung

EAK: Europäischer Abfallartenkatalog

EQ: Excepted Quantity / Freigestellte Menge

EU/EG/EWG: Europäische Union / Europäische Gemeinschaft / Europäische Wirtschaftsgemeinschaft

GHS: Global Harmonisiertes System zur Einstufung und Kennzeichnung von Chemikalien

IBC: Intermediate Bulk Container / Großpackmittel

ICAO-TI/IATA-DGR: Technical Instructions For The Safe Transport of Dangerous Goods by Air / International Air Transport Association Dangerous Goods Regulations

IMDG: International Maritime Code for Dangerous Goods

IOELV: Indicative Occupational Exposure Limit Values / Arbeitsplatzrichtgrenzwert

LC50: Lethal concentration, 50 percent / Median-Letalkonzentration

LD50: Lethal dose, 50 percent / Median-Letaldosis

LQ: Limited Quantity / Begrenzte Menge

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

N.A.G.: Nicht Anderweitig Genannt

OECD: Organisation für wirtschaftliche Zusammenarbeit und Entwicklung

PBT: persistent, bioakkumulierbar und toxisch

PNEC: Predicted No-Effect Concentration / abgeschätzte Nicht-Effekt-Konzentration

ppm: parts per million

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RoHS: Restriction of Hazardous Substances in electrical and electronic equipment / Beschränkung der Verwendung bestimmter gefährlicher Stoffe in Elektro- und Elektronikgeräten

TRGS: Technische Regeln für Gefahrstoffe

UN: United Nations, hier als UN-Nr.: Kennnummer für Stoffe/Stoffgruppen mit gleichen Eigenschaften beim Transport gefährlicher Güter

VOC: Volatile Organic Compounds

vPvB: sehr persistent und sehr bioakkumulierbar

WGK: Wassergefährdungsklasse

WHG: Wasserhaushaltsgesetz

16.3. Key literature references and sources for data

The information used for creation of this safety data sheet are obtained by information of our suppliers and data from the database of registered substances of the European Chemicals Agency (ECHA).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 13 Oct 2020

Print date: 30 Mar 2021

Version: 1

Page 12/12



SFC Stainless Finishing Cleaner

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Classification according to Regulation (EC) No 1272/2008 [CLP]:

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals (<i>Met. Corr. 1</i>)	H290: May be corrosive to metals.	On basis of test data.
Skin corrosion/irritation (<i>Skin Corr. 1</i>)	H314: Causes severe skin burns and eye damage.	Calculation method.
Respiratory or skin sensitisation (<i>Skin Sens. 1</i>)	H317: May cause an allergic skin reaction.	Calculation method.
Serious eye damage/eye irritation (<i>Eye Dam. 1</i>)	H318: Causes serious eye damage.	Calculation method.

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

16.6. Training advice

The employees must be instructed regularly based on information in this safety data sheet and the specific conditions of the workplace on the safe handling and storage of products. National regulations for instruction of employees on handling of hazardous substances must be observed.

16.7. Additional information

The receiver of our products is responsible for compliance with all applicable laws and regulations.