according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Revision date: 16/11/2022 Version: 10.1 Language: en-EU Date of print: 14/02/2023

Electrolyte for dark marking on tool steel

Page: 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Electrolyte for dark marking on tool steel

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Electrolytic/electrochemical metal inscription

1.3 Details of the supplier of the safety data sheet

Company name: Reuter GmbH & Co. KG

Street/POB-No.: Schimmelbuschstr. 9e
Postal Code, city: DE-40699 Erkrath
WWW: www.reuter.works
E-mail: mail@oreuter.de
Telephone: +49 (0)211 73060 455

Telefax:

Department responsible for information:

Olaf Reuter,

Telephone: +49 (0)171 5450200, Email: or@oreuter.de

1.4 Emergency telephone number

Olaf Reuter, Telephone: +49 (0)171 5450200

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable

Precautionary statements:

not applicable

Special labelling

EUH210 Safety data sheet available on request.

2.3 Other hazards

Electrolytic vapours may form during signature processes under direct current voltage.

May be harmful if inhaled.

Results of PBT and vPvB assessment:

No data available

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Revision date: 16/11/2022 Version: 10.1 Language: en-EU Date of print: 14/02/2023

Electrolyte for dark marking on tool steel

Page: 2 of 8

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation:

Aqueous solution of inorganic salts and organic compounds.

Hazardous ingredients:

Ingredient	Designation	Content	Classification
EC No. 229-347-8 CAS 6484-52-2	Ammonium nitrate	< 5 %	Ox. Sol. 3; H272. Eye Irrit. 2; H319.
EC No. 235-186-4 CAS 12125-02-9	Ammonium chloride	< 5 %	Acute Tox. 4; H302. Eye Irrit. 2; H319.

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

In case of inhalation: Provide fresh air. In case of respiratory difficulties seek medical attention.

Following skin contact: Change contaminated clothing.

After contact with skin, wash immediately with plenty of water.

In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids

apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of

troubles or persistent symptoms, consult an opthalmologist.

After swallowing: Rinse mouth immediately and drink plenty of water.

If you feel unwell, seek medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

The product can cause irritation of the eyes.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

5.2 Special hazards arising from the substance or mixture

Fires in the immediate vicinity may cause the development of dangerous vapours. In case of fire may be liberated: Chlorine compounds, nitrogen oxides (NOx).

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective

clothina.

Additional information: Do not allow fire water to penetrate into surface or ground water.

printed by Reuter GmbH & Co. KG

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Revision date: 16/11/2022 Version: 10.1 Language: en-EU Date of print: 14/02/2023

Electrolyte for dark marking on tool steel

OOI Steel Page: 3 of 8

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with the substance. Provide adequate ventilation. Do not breathe vapour/aerosol. Wear suitable protective clothing. Keep unprotected people away.

6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent materials such as sand, siliceus earth, acid- or universal binder. Store in special closed containers and dispose of according to ordinance. Final cleaning. Do not allow to dry.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed.

Avoid contact with the substance. Do not breathe vapour/aerosol.

Wear appropriate protective equipment. Do not mix with other chemicals.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed.

Hints on joint storage: Do not store together with strong acids or alkalis.

Keep away from food and drinks.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

Respiratory protection: If vapours form, use respiratory protection.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Hand protection: Protective gloves according to EN 374.

Glove material: Butyl caoutchouc (butyl rubber)

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to EN 166.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

 Revision date:
 16/11/2022

 Version:
 10.1

 Language:
 en-EU

 Date of print:
 14/02/2023

Electrolyte for dark marking on tool steel

Page: 4 of 8

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Change contaminated clothing.

Wash hands before breaks and after work.

Do not breathe vapour/aerosol. Avoid contact with skin and eyes.

When using do not eat, drink or smoke.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa liquid colour: colourless

Odour: characteristic

Odour threshold: No data available
Melting point/freezing point: No data available
initial boiling point and boiling range: No data available
Flammability: No data available

Upper/lower flammability or explosive limits:

No data available

Flash point/flash point range: not combustible

Decomposition temperature: No data available

pH: 5,5 - 6,5

Viscosity, kinematic: No data available

Water solubility: at 20 °C: completely miscible

Partition coefficient: n-octanol/water:

Vapour pressure:

Density:

Vapour density:

Vapour density:

Particle characteristics:

No data available at 20 °C: 1,03 g/mL

No data available

No data available

Not applicable

9.2 Other information

Explosive properties: No data available
Oxidizing characteristics: No data available

Auto-ignition temperature:

No data available

Evaporation rate:

No data available

No data available

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to 10.3

10.2 Chemical stability

Product is stable under normal storage conditions.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Revision date: 16/11/2022 Version: 10.1 Language: en-EU Date of print: 14/02/2023

Electrolyte for dark marking on tool steel

Page: 5 of 8

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

Do not mix with other chemicals.

10.5 Incompatible materials

Strong acids and alkalis

10.6 Hazardous decomposition products

Chlorine compounds, nitrogen oxides (NOx).

Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: Acute toxicity (oral): Lack of data.

Acute toxicity (dermal): Lack of data.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation: Lack of data.

Serious eye damage/irritation: Lack of data.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data. Reproductive toxicity: Lack of data. Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data. Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

11.2 Information on other hazards

Endocrine disrupting properties:

No data available

Symptoms

After eye contact: May cause irritations.

SECTION 12: Ecological information

12.1 Toxicity

Further details: No data available

12.2 Persistence and degradability

Further details: No data available

printed by Reuter GmbH & Co. KG with Qualisys SUMDAT

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Revision date: 16/11/2022 Version: 10.1 Language: en-EU Date of print: 14/02/2023

Electrolyte for dark marking on tool steel

Page: 6 of 8

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 11 01 99 = Wastes from chemical surface treatment and coating of metals and other

materials (eg. galvanic processes, zinc coating processes, pickling processes, etching, phosphatising, alkaline degreasing, anodising)

Recommendation: Dispose of waste according to applicable legislation.

Package

Waste key number: 15 01 02 = Plastic packaging

Recommendation: Dispose of waste according to applicable legislation.

Handle contaminated packages in the same way as the substance itself.

Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID, IMDG, IATA-DGR:

not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

not applicable

14.4 Packing group

ADR/RID, IMDG, IATA-DGR:

not applicable

printed by Reuter GmbH & Co. KG with Qualisys SUMDAT

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Revision date: 16/11/2022 Version: 10.1 Language: en-EU Date of print: 14/02/2023

Electrolyte for dark marking on tool steel

Page: 7 of 8

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally hazardous according to the criteria of the UN

model regulations.

Marine pollutant: NO

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - EC member states

Further regulations, limitations and legal requirements:

Ammonium nitrate: Regulation (EU) No 2019/1148 (marketing and use of explosives precursors)

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Further information

Wording of the H-phrases under paragraph 2 and 3:

H272 = May intensify fire; oxidiser.

H302 = Harmful if swallowed.

H319 = Causes serious eye irritation.

EUH210 = Safety data sheet available on request.

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Revision date: 16/11/2022 Version: 10.1 Language: en-EU Date of print: 14/02/2023

8 of 8

Page:

Electrolyte for dark marking on tool steel

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

AS/NZS: Australian Standards/New Zealand Standards

CAS: Chemical Abstracts Service CFR: Code of Federal Regulations

CLP: Classification, Labelling and Packaging

DMEL: Derived minimal effect level DNEL: Derived no-effect level EC: European Community EN: European Standard EQ: Excepted quantities EU: European Union

IATA: International Air Transport Association

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IMDG Code: International Maritime Dangerous Goods Code

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OSHA: Occupational Safety and Health Administration

PBT: Persistent, bioaccumulative and toxic PNEC: Predicted no-effect concentration

RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

TRGS: Technical Rules for Hazardous Substances vPvB: Very persistent and very bioaccumulative

Reason of change: Changes in section 15: Regulatory information

General revision

Date of first version: 23/9/2008

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

printed by Reuter GmbH & Co. KG