

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
and Regulation (EU) No 2020/878

Revision date: 16/11/2022
Version: 7.2
Language: en-EU
Date of print: 14/02/2023

Elektrolyte for dark marking on stainless steel

Page: 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Elektrolyte for dark marking on stainless steel

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Electrolytic/electrochemical metal inscription
For industrial purposes only

1.3 Details of the supplier of the safety data sheet

Company name: Reuter GmbH & Co. KG

Street/POB-No.: Schimmelbuschstr. 9e

Postal Code, city: DE-40699 Erkrath

WWW: www.reuter.works

E-mail: mail@oreuter.de

Telephone: +49 (0)211 73060 455

Telefax:

Department responsible for information:

Olaf Reuter,

Telephone: +49 (0)171 5450200, Email: or@oreuter.de

1.4 Emergency telephone number

Olaf Reuter, Telephone: +49 (0)171 5450200

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable

Precautionary statements:
not applicable

Special labelling

EUH210 Safety data sheet available on request.

2.3 Other hazards

Electrolytic vapours may form during signature processes under direct current voltage.
May be harmful if inhaled.

Results of PBT and vPvB assessment:

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
and Regulation (EU) No 2020/878

Revision date: 16/11/2022

Version: 7.2

Language: en-EU

Date of print: 14/02/2023

Elektrolyte for dark marking on stainless steel

Page: 2 of 8

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation:

Aqueous solution of inorganic salts and organic compounds.

Hazardous ingredients:

Ingredient	Designation	Content	Classification
EC No. 233-826-7 CAS 10377-60-3	Magnesium nitrate < 10 %		Ox. Sol. 3; H272. Skin Irrit. 2; H315. Eye Irrit. 2; H319.

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

In case of inhalation: Provide fresh air. Seek medical treatment in case of troubles.

Following skin contact: Change contaminated clothing.
After contact with skin, wash immediately with soap and plenty of water.
In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently consult an ophthalmologist.

After swallowing: Rinse mouth with water.
Never give an unconscious person anything through the mouth.
Do not induce vomiting.
If you feel unwell, seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

May cause skin and eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media:

Use extinguishing material as appropriate for the surrounding area.

5.2 Special hazards arising from the substance or mixture

Fires in the immediate vicinity may cause the development of dangerous vapours.
In the event of a fire, the following may be produced when the water evaporates: Chlorine compounds, nitrogen oxides (NO_x), magnesium compounds.

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information: Do not allow fire water to penetrate into surface or ground water.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
and Regulation (EU) No 2020/878

Revision date: 16/11/2022

Version: 7.2

Language: en-EU

Date of print: 14/02/2023

Elektrolyte for dark marking on stainless steel

Page: 3 of 8

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/aerosol. Provide adequate ventilation.
Avoid contact with skin and eyes.
Wear appropriate protective equipment. Keep unprotected people away.

6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.
If necessary notify appropriate authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent materials such as sand, siliceus earth, acid- or universal binder.
Store in special closed containers and dispose of according to ordinance. Final
cleaning. Do not allow to dry.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed.
Wear appropriate protective equipment. Do not breathe vapour/aerosol.
Avoid contact with skin and eyes.
Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:
Keep container tightly closed.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information: Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

Respiratory protection: Use a breathing protection against vapours/aerosol.
The filter class must be suitable for the maximum contaminant concentration
(gas/vapour/aerosol/particulates) that may arise when handling the product. If the
concentration is exceeded, closed-circuit breathing apparatus must be used!

Hand protection: Protective gloves according to EN 374.
Glove material: Butyl caoutchouc (butyl rubber).
Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to EN 166.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
and Regulation (EU) No 2020/878

Revision date: 16/11/2022
Version: 7.2
Language: en-EU
Date of print: 14/02/2023

Elektrolyte for dark marking on stainless steel

Page: 4 of 8

Body protection: Wear suitable protective clothing.
General protection and hygiene measures:
Change contaminated clothing. Do not breathe vapour/aerosol.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
Wash hands before breaks and after work.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	Form: liquid
Colour:	colourless, clear
Odour:	odourless
Odour threshold:	No data available
Melting point/freezing point:	No data available
initial boiling point and boiling range:	No data available
Flammability:	No data available
Upper/lower flammability or explosive limits:	No data available
Flash point/flash point range:	No data available
Decomposition temperature:	No data available
pH:	5,5 - 6,5
Viscosity, kinematic:	No data available
Water solubility:	completely miscible
Partition coefficient: n-octanol/water:	No data available
Vapour pressure:	No data available
Density:	1,03 g/mL
Vapour density:	No data available
Particle characteristics:	Not applicable

9.2 Other information

Explosive properties:	Product is not explosive.
Oxidizing characteristics:	No data available
Auto-ignition temperature:	not self-igniting
Evaporation rate:	No data available
Additional information:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to 10.3

10.2 Chemical stability

Stable under recommended storage conditions.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
and Regulation (EU) No 2020/878

Revision date: 16/11/2022
Version: 7.2
Language: en-EU
Date of print: 14/02/2023

Elektrolyte for dark marking on stainless steel

Page: 5 of 8

10.3 Possibility of hazardous reactions

No dangerous reactions with proper and specified storage and handling

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Strong acids and alkalis

10.6 Hazardous decomposition products

Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: Acute toxicity (oral): Lack of data.
Acute toxicity (dermal): Lack of data.
Acute toxicity (inhalative): Lack of data.
Skin corrosion/irritation: Lack of data.
Serious eye damage/irritation: Lack of data.
Sensitisation to the respiratory tract: Lack of data.
Skin sensitisation: Lack of data.
Germ cell mutagenicity/Genotoxicity: Lack of data.
Carcinogenicity: Lack of data.
Reproductive toxicity: Lack of data.
Effects on or via lactation: Lack of data.
Specific target organ toxicity (single exposure): Lack of data.
Specific target organ toxicity (repeated exposure): Lack of data.
Aspiration hazard: Lack of data.

11.2 Information on other hazards

Endocrine disrupting properties:

No data available

Other information:

Electrolytic vapours may form during signature processes under direct current voltage.
May be harmful if inhaled.

Symptoms

May cause skin and eye irritation.

SECTION 12: Ecological information

12.1 Toxicity

Further details: No data available

12.2 Persistence and degradability

Further details: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
and Regulation (EU) No 2020/878

Revision date: 16/11/2022
Version: 7.2
Language: en-EU
Date of print: 14/02/2023

Elektrolyte for dark marking on stainless steel

Page: 6 of 8

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 11 01 99 = Wastes from chemical surface treatment and coating of metals and other materials (eg. galvanic processes, zinc coating processes, pickling processes, etching, phosphatising, alkaline degreasing, anodising)

Recommendation: Dispose of waste according to applicable legislation.

Package

Waste key number: 15 01 02 = Plastic packaging.

Recommendation: Dispose of waste according to applicable legislation.
Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID, IMDG, IATA-DGR:

not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR:

Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR:

not applicable

14.4 Packing group

ADR/RID, IMDG, IATA-DGR:

not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
and Regulation (EU) No 2020/878

Revision date: 16/11/2022
Version: 7.2
Language: en-EU
Date of print: 14/02/2023

Elektrolyte for dark marking on stainless steel

Page: 7 of 8

14.5 Environmental hazards

Dangerous for the environment:

Substance/mixture is not environmentally
hazardous according to the criteria of the UN
model regulations.

Marine pollutant: no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - EC member states

Further regulations, limitations and legal requirements:

No data available

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Further information

Wording of the H-phrases under paragraph 2 and 3:

H272 = May intensify fire; oxidiser.

H315 = Causes skin irritation.

H319 = Causes serious eye irritation.

EUH210 = Safety data sheet available on request.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)
and Regulation (EU) No 2020/878

Revision date: 16/11/2022
Version: 7.2
Language: en-EU
Date of print: 14/02/2023

Elektrolyte for dark marking on stainless steel

Page: 8 of 8

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
AS/NZS: Australian Standards/New Zealand Standards
CAS: Chemical Abstracts Service
CFR: Code of Federal Regulations
CLP: Classification, Labelling and Packaging
DMEL: Derived minimal effect level
DNEL: Derived no-effect level
EC: European Community
EN: European Standard
EQ: Excepted quantities
EU: European Union
IATA: International Air Transport Association
IATA-DGR: International Air Transport Association – Dangerous Goods Regulations
IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IMDG Code: International Maritime Dangerous Goods Code
MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OSHA: Occupational Safety and Health Administration
PBT: Persistent, bioaccumulative and toxic
PNEC: Predicted no-effect concentration
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
TRGS: Technical Rules for Hazardous Substances
vPvB: Very persistent and very bioaccumulative

Reason of change: Changes in section 15: Regulatory information
General revision

Date of first version: 10/11/2008

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.